
Refine Search

Search Results -

Terms	Documents
L18 and ((cyclohexyl near methacrylate) or (cyclohexyl near acrylate) or (t-butyl near methacrylate) or (t-butyl near acrylate) or (isobornyl near acrylate) or (isobornyl near methacrylate) or (4-t-butylcyclohexyl near acrylate))	7

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:



Search History

DATE: Friday, February 01, 2008 Purge Queries Printable Copy Create Case

<u>Set</u>	•	Hit	<u>Set</u>
Name	Query	Count	<u>Name</u>
side by		Count	result
side			set
DB=	PGPB, USPT, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR		
<u>L19</u> ·	L18 and ((cyclohexyl near methacrylate) or (cyclohexyl near acrylate) or (t-butyl near methacrylate) or (t-butyl near acrylate) or (isobornyl near acrylate) or (isobornyl near methacrylate) or (4-t-butylcyclohexyl near methacrylate) or (4-t-butylcyclohexyl near acrylate))	7	<u>L19</u>
<u>L18</u>	4957974	69	<u>L18</u>
<u>L17</u>	L16 and (grafted near polyolefin)	. 1	<u>L17</u>
<u>L16</u>	(4094927 or 4957974).pn.	4	<u>L16</u>
<u>L15</u>	6800688	2	<u>L15</u>
<u>L14</u>	L13 and ((cyclohexyl near methacrylate) or (cyclohexyl near acrylate) or (t-butyl near methacrylate) or (t-butyl near acrylate) or (isobornyl near methacrylate) or (4-t-butylcyclohexyl near methacrylate) or	18	<u>L14</u>

	(4-t-butylcyclohexyl near acrylate))		
<u>L13</u>	L12 and ((acrylate near monomer) or (acrylic near ester) or (methacrylate near monomer) or (methacrylic near ester) or acrylate or methacrylate)	260	<u>L13</u>
<u>L12</u>	(graft near modified near polyolefin) or (grafted near polyolefin near resin)	622	<u>L12</u>
<u>L11</u>	L10 and 525/190-221.ccls.	33	<u>L11</u>
<u>L10</u>	L9 and 525/190-309.ccls.	113	<u>L10</u>
<u>L9</u>	L8 and (adhesive or (adhesive near property) or primer)	1117	<u>L9</u>
<u>L8</u>	L7 and ((molecular near weight) or (weight near average near molecular near weight))	2151	<u>L8</u>
<u>L7</u>	L6 and ((2-hydroxyethyl near methacrylate) or (2-hydroxyethyl near acrylate) or (hydroxypropyl near methacrylate))	2309	<u>L7</u>
<u>L6</u>	L4 and ((cyclohexyl near methacrylate) or (cyclohexyl near acrylate) or (t-butyl near methacrylate) or (t-butyl near acrylate) or (isobornyl near methacrylate) or (4-t-butylcyclohexyl near methacrylate) or (4-t-butylcyclohexyl near acrylate))	4902	<u>L6</u>
<u>L5</u>	(acrylate or methacrylate) and (acryloyloxy near group near bonded near secondary near carbon near atom)	0	<u>L5</u>
<u>L4</u>	L3 .	45411	<u>L4</u>
<u>L3</u>	L2 and ((acrylate near monomer) or (acrylic near ester) or (methacrylate near monomer) or (methacrylic near ester) or acrylate or methacrylate)	45411	<u>L3</u>
<u>L2</u>	L1 and (grafted or (graft near modified) or (graft near modification) or graft\$3)	95612	<u>L2</u>
<u>L1</u>	(polyolefin near resin) or polyethylene or polypropylene or LLDPE or LDPE or HDPE or (ethylene propylene pear conclumer)	985912	<u>L1</u>

END OF SEARCH HISTORY